

```
01 LBL "UNBLD" ;1 Byte Alpha to 0-255 in X
02 AON
03 "CHR=?"
04 STOP
05 AOFF
06 LBL "UN" ;Called from DECODE, no prompt
07 .007
08 STO 00
09 >"*****" ;Append 7 asterisks
10 0
11 STO M
12 STO 01
13 >"*****" ;Append 6 asterisks
14 RCL N
15 X<> d
16 LBL 00
17 1
18 RCL 01
19 2
20 *
21 FS? IND 00
22 +
23 STO 01
24 R^
25 ISG 00
26 GTO 00
27 R^
28 STO d
29 RCL 01
30 RTN
31 END
```

004CC000F600554E424C448CF54348523D3F848BC000F30055  
4E1A10101730F87F2A2A2A2A2A2A10917531F77F2A2A2A2A  
2A2A9076CE7E0111211242AC804031749600B10074917E2185  
C0000DB4

76 BYTES


# HP-41C Black Box UNBLD by William C. Wickes PPC V6 N8 P30 Nov-Dec 1979

Program Registers Needed: 11

Row 1 (1 - 3)




Row 2 (3 - 7)



Row 3 (7 - 10)



Row 4 (11 - 14)



Row 5 (15 - 25)



Row 6 (25 - 31)

