

```
01 LBL "AS-R" ;ASCII to Registers
02 ABS
03 CLX
04 XROM 25,43 ;SEEKPTA
05 LBL 01
06 SF 25
07 XROM 25,20 ;GETREC
08 FC?C 25
09 GTO 03
10 LBL 02
11 ASTO IND L
12 ISG L
13 X<0?
14 GTO 04
15 ASHF
16 5
17 XROM 25,01 ;ALENG
18 X>Y?
19 GTO 02
20 FS? 17
21 GTO 01
22 ASTO IND L
23 ISG L
24 GTO 01
25 LBL 03
26 CLST
27 CLA
28 END
```

0034C000F50041532D526177A66B02A819A654AB19B400039A  
F4967466B5008815A64145B300AC11B2009AF49674B2000473  
87C0000DD0

52 BYTES

## HP-41C ASCII to Registers by Valentino Ducarti PPC V9 N7 P19 Oct-Nov 1982

Program Registers Needed: 8

Row 1 (1 - 5)



Row 2 (6 - 12)



Row 3 (13 - 21)



Row 4 (21 - 28)



```
01 LBL "R-AS" ;Registers to ASCII
02 ABS
03 CLX
04 XROM 25,43 ;SEEKPTA
05 LBL 01
06 CF 17
07 LBL 02
08 CLA
09 ARCL IND L
10 SF 25
11 FC? 17
12 XROM 25,04 ;APPREC
13 FS?C 17
14 XROM 25,03 ;APPCHR
15 FC?C 25
16 GTO 03
17 ISG L
18 X<0?
19 GTO 03
20 XROM 25,01 ;ALENG
21 6
22 X>Y?
23 GTO 01
24 SF 17
25 GTO 02
26 LBL 03
27 CLST
28 CLA
29 END
```

0036C000F500522D41536177A66B02A91103879BF4A819AD11  
A644AA11A643AB19B400967466B400A6411645B200A811B300  
047387C0000D90

54 BYTES


## HP-41C Registers to ASCII by Valentino Ducarti PPC V9 N7 P19 Oct-Nov 1982

Program Registers Needed: 8

Row 1 (1 - 5)



Row 2 (6 - 13)



Row 3 (13 - 20)



Row 4 (20 - 29)



Row 5 (29)

